

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	ABAP NEAR4 class	USPAT	OR	OFF	2005/01/31 11:33
S2	30	(sap AND aktiengesellschaft).as.	USPAT	OR	OFF	2005/01/31 11:37
S3	1	S2 AND abap	USPAT	OR	OFF	2005/02/03 13:35
S4	1	S3 AND (reference\$1)	USPAT	OR	OFF	2005/01/31 11:36
S5	1	S3 AND interface\$1	USPAT	OR	OFF	2005/01/31 11:37
S6	46	(sap AND aktiengesellschaft).as.	US-PGPUB; USPAT	OR	OFF	2005/01/31 11:45
S7	120	abap	US-PGPUB; USPAT	OR	OFF	2005/01/31 11:57
S8	12	abap NEAR4 class\$2	US-PGPUB; USPAT	OR	OFF	2005/01/31 11:49
S9	2976	(application NEAR4 layer\$1) AND (record\$3 NEAR4 layer\$1) AND table\$1	US-PGPUB; USPAT	OR	OFF	2005/01/31 11:50
S10	1041	S9 AND interface\$1	US-PGPUB; USPAT	OR	OFF	2005/01/31 11:51
S11	0	S10 AND abap	US-PGPUB; USPAT	OR	OFF	2005/01/31 11:51
S12	49	S10 AND ("707"/\$.ccls. "717"/\$. ccls.)	US-PGPUB; USPAT	OR	OFF	2005/01/31 11:51
S13	80	S7 AND database\$1	US-PGPUB; USPAT	OR	OFF	2005/01/31 12:01
S14	6	S7 AND ("same" NEAR4 interface\$1)	US-PGPUB; USPAT	OR	OFF	2005/01/31 12:03
S15	78	(sap NEAR4 database\$1) AND framework	US-PGPUB; USPAT	OR	OFF	2005/01/31 12:06
S16	307	(application NEAR4 layer\$1) AND database\$1 AND (regist\$7 NEAR4 object\$1) AND class\$2	US-PGPUB; USPAT	OR	OFF	2005/01/31 12:18
S17	54	S16 AND (inherit\$6 NEAR4 method\$1)	US-PGPUB; USPAT	OR	OFF	2005/01/31 12:11
S18	59	S16 AND "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/31 12:27
S19	16680	object-oriented	US-PGPUB; USPAT	OR	OFF	2005/01/31 12:28
S20	7345	S19 AND ((object-oriented) NEAR4 programming)	US-PGPUB; USPAT	OR	OFF	2005/01/31 12:29
S21	102	S20 AND (regist\$7 NEAR4 object\$1 NEAR8 database\$1)	US-PGPUB; USPAT	OR	OFF	2005/01/31 12:40
S22	48	S21 AND (index\$3 NEAR4 method\$1)	US-PGPUB; USPAT	OR	OFF	2005/01/31 12:32
S23	246	S20 AND ((regist\$7 record\$3) NEAR4 object\$1 NEAR8 database\$1)	US-PGPUB; USPAT	OR	OFF	2005/01/31 12:40
S24	771	S20 AND ((regist\$7 record\$3 stor\$4) NEAR4 object\$1 NEAR8 database\$1)	US-PGPUB; USPAT	OR	OFF	2005/01/31 12:40

S25	122	abap	US-PGPUB; USPAT	OR	OFF	2005/02/03 14:15
S26	12	(abap NEAR4 class\$2)	US-PGPUB; USPAT	OR	OFF	2005/02/03 13:40
S27	12	S25 AND S26	US-PGPUB; USPAT	OR	OFF	2005/02/03 13:49
S28	47	S25 AND (regist\$7)	US-PGPUB; USPAT	OR	OFF	2005/02/03 14:20
S29	295	(regist\$7 NEAR4 object\$1) AND ((object-oriented oo) NEAR4 database\$1)	US-PGPUB; USPAT	OR	OFF	2005/02/03 14:21
S30	131	S29 AND "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/03 14:22
S31	103	S30 AND version\$5	US-PGPUB; USPAT	OR	OFF	2005/02/03 14:22
S32	1485	((object-oriented) NEAR4 (database\$1 program\$5)) AND (enabl\$4 NEAR4 (object\$1 method\$1))	USPAT	OR	OFF	2005/02/03 20:39
S33	385	((object-oriented) NEAR4 (database\$1 program\$5)) AND (enabl\$4 NEAR4 (object\$1 method\$1)) AND ((function\$1 method\$1) NEAR4 table\$1)	USPAT	OR	OFF	2005/02/03 20:39
S34	234	((object-oriented) NEAR4 (database\$1 program\$5)) AND (enabl\$4 NEAR4 (object\$1 method\$1)) AND ((function\$1 method\$1) NEAR4 table\$1) AND (table\$1 NEAR4 entr\$4)	USPAT	OR	OFF	2005/02/03 20:40
S35	85	S34 AND "707"/\$.ccls.	USPAT	OR	OFF	2005/02/03 20:43
S36	172	(object-oriented NEAR4 database\$1) AND (object\$1 NEAR2 class\$2) AND (table\$1 NEAR4 (interface\$1 method\$1))	USPAT	OR	OFF	2005/02/03 20:44
S37	104	S36 AND ("707"/\$.ccls.)	USPAT	OR	OFF	2005/02/03 20:44
S38	31	S36 AND ("717"/\$.ccls.)	USPAT	OR	OFF	2005/02/03 21:14
S39	7	manipulat\$5 NEAR5 (method\$1 NEAR1 table\$1)	USPAT	OR	OFF	2005/02/03 21:15
S40	38	updat\$4 NEAR5 (method\$1 NEAR1 table\$1)	USPAT	OR	OFF	2005/02/04 10:58
S41	2	(object-oriented NEAR4 database\$1) AND (updat\$4 NEAR5 (method\$1 NEAR1 table\$1))	USPAT	OR	OFF	2005/02/03 21:17
S42	0	(object-oriented NEAR4 database\$1) AND (customiz\$7 NEAR5 (method\$1 NEAR1 table\$1))	USPAT	OR	OFF	2005/02/03 21:17
S43	66	((object-oriented) NEAR4 database\$1) AND (timestamp\$1 time-stamp\$1) AND ((id ids identifier\$1 identification\$1) NEAR4 (user\$1))	USPAT	OR	OFF	2005/02/04 11:01

S44	62	((object-oriented) NEAR4 database\$1) AND (timestamp\$1 time-stamp\$1) AND ((id ids identifier\$1 identification\$1) NEAR4 (user\$1)) AND (transaction\$1 log\$4)	USPAT	OR	OFF	2005/02/04 11:01
S45	55	((object-oriented) NEAR4 database\$1) AND (timestamp\$1 time-stamp\$1) AND ((id ids identifier\$1 identification\$1) NEAR4 (user\$1)) AND (transaction\$1 log logging logs)	USPAT	OR	OFF	2005/02/04 11:30
S46	105	((object-oriented) NEAR4 database\$1) AND (timestamp\$1 time-stamp\$1) AND ((id ids identifier\$1 identification\$1) NEAR4 (user\$1)) AND (transaction\$1 log logging logs)	US-PGPUB; USPAT	OR	OFF	2005/02/04 11:36
S47	1633	((object-oriented) NEAR4 database\$1) AND (transaction\$1 log logging logs)	US-PGPUB; USPAT	OR	OFF	2005/02/04 11:36
S48	850	((object-oriented) NEAR4 database\$1) AND (transaction\$1 log logging logs)	USPAT	OR	OFF	2005/02/04 12:15
S49	255	S48 AND ((id ids identifier\$1 identification\$1) NEAR4 (user\$1))	USPAT	OR	OFF	2005/02/04 11:36
S50	55	S49 AND (timestamp\$1 time-stamp\$1)	USPAT	OR	OFF	2005/02/04 11:36
S51	255	S49 AND (time\$1 date\$1 timestamp\$1 time-stamp\$1)	USPAT	OR	OFF	2005/02/04 11:37
S52	137	S51 AND "707"/\$.ccls.	USPAT	OR	OFF	2005/02/04 11:37
S53	20	((object-oriented) NEAR4 database\$1) AND (transaction\$1 log logging logs) AND ((transaction\$1 log logging logs) NEAR10 (user\$1 NEAR2 (id ids identification\$1 identifier\$1)))	USPAT	OR	OFF	2005/02/04 12:31
S54	253	(transaction\$1 log logging logs) AND ((transaction\$1 log logging logs) NEAR10 (user\$1 NEAR2 (id ids identification\$1 identifier\$1))) AND ("707"/\$.ccls. "717"/\$.ccls.)	USPAT	OR	OFF	2005/02/04 12:31
S55	231	S54 AND database\$1	USPAT	OR	OFF	2005/02/04 12:31
S56	45	S54 AND (object-oriented oo)	USPAT	OR	OFF	2005/02/04 13:41
S57	28	abap	USPAT	OR	OFF	2005/02/04 13:41